

University of Groningen

Hidden threats revealed

Likumahua, Sem

DOI:
[10.33612/diss.133347923](https://doi.org/10.33612/diss.133347923)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Likumahua, S. (2020). *Hidden threats revealed: Potentially toxic microalga species and their associated toxins in Ambon Bay, Eastern Indonesia*. [Thesis fully internal (DIV), University of Groningen].
<https://doi.org/10.33612/diss.133347923>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Prepositions

Accompanying the dissertation

Hidden threats revealed – Revealing potentially toxic phytoplankton species and their associated toxins in Ambon Bay, Eastern Indonesia

By

Sem Likumahua

1. *Pyrodinium bahamense* var. *compressum* is the main producer of saxitoxin in Ambon Bay (This thesis).
2. *Pyrodinium bahamense* var. *compressum* blooms in Eastern Indonesia can be associated with massive fish kills in local aquaculture (This thesis).
3. Ambon Bay is subject to future amnesic shellfish poisoning events as domoic acid and its producers, *Pseudo-nitzschia* spp., are persistently detected in phytoplankton samples (This thesis).
4. *Gymnodinium catenatum* is a PST producer in Ambon Bay, which mainly produces decarbamoyl and N-sulfocarbamoyl toxin analogues (This thesis).
5. Ambon Bay sediments harbour high amounts of potentially harmful dinocysts and therefore serve as a seedbank for future harmful algal blooms and toxic events (This thesis).
6. Field data on cells and associated toxins need to be confirmed and supported by culture experiments to generate a better understanding of species specific toxin production and their dynamics under various environmental scenarios.
7. To develop good HAB management and policies in Ambon as well as in Indonesia, toxin components and levels have to be monitored continuously both in plankton samples and in shellfish flesh.
8. Ambon Bay needs an effective wastewater management in order to minimize the risk of (toxic) algal outbreaks due to eutrophication.
9. Knowledge is power. Power to do evil...or to do good. Power itself is not evil. So knowledge itself is not evil (Veronica Roth, Allegiant).